GBCS SCHEME

		11/2				
January Van	- 1	-				
USN	egie	The state of the s	NA I			
*		A SON		- 1	1	

BME402

Fourth Semester B.E./B.Tech. Degree Examination, June/July 2024 Machining Science and Metrology

Time: 3 hrs.

Max. Marks: 100

Note: 1. Answer any FIVE full questions, choosing ONE full question from each module. 2. M: Marks, L: Bloom's level, C: Course outcomes.

With a neat sketch, explain the nomenclature of single point cutting tool. Explain briefly mechanics of chip formation process. The following data refer to an orthogonal cutting process. Chip thickness 0.62 mm, feed 0.2 mm, rake angle 15°. Calculate chip reduction coefficient and shear angle. OR With a neat sketch, explain the main parts of a lathe.	M 07 06 07	L L2 L1 L3	C C C C C C C C C C C C C C C C C C C
Explain briefly mechanics of chip formation process. The following data refer to an orthogonal cutting process. Chip thickness 0.62 mm, feed 0.2 mm, rake angle 15°. Calculate chip reduction coefficient and shear angle. OR	06	L1	COI
The following data refer to an orthogonal cutting process. Chip thickness 0.62 mm, feed 0.2 mm, rake angle 15°. Calculate chip reduction coefficient and shear angle. OR			-
0.62 mm, feed 0.2 mm, rake angle 15°. Calculate chip reduction coefficient and shear angle.	07	L3	CO
and shear angle. OR			
OR		1	
The state of the s			
With a neat sketch explain the main parts of a lathe			
	07	L2	CO
Briefly explain the major differences between capstan and turret lathe.	06	L1	CO
Explain any five operations performed on a lathe.	07	L2	CO
Module – 2			
Explain with a neat sketch, up milling and down milling methods.	07	L2	CO
Briefly explain the broad classification of milling machines.	06	L1	CO
By applying the knowledge of indexing, discuss the different types of	07	L2	CO
indexing that are in practice.			
OR			
With a neat sketch, explain the radial drilling machine.	07	L2	CO
Apply the knowledge of mechanism, explain the quick return mechanism	06	L3	CO
that are used in shaping machine.			
With a neat sketch, explain the centerless grinding machine.	07	L2	CO.
Module -3			
With neat sketches, analyze the different heat zones that are present during	07	L2	CO
metal cutting process.	X.		Heat 202 12
Explain the factors that affect the heat generation in metal cutting process.	.06	L2	CO
	07	L2	CO
OR			
Briefly explain the different cutting tool materials that are used in practice.	07	L2	CO.
Analyze the life of tool which is used for rough turning which give a tool	06	L4	CO.
life of 1 hrs at a cutting speed of 30 m/min. What will be the life of the tool			
when it is used at the same cutting speed for finish turning? Take $n = 0.125$			
for rough cut and $n = 0.1$ for finish cut.			
Briefly discuss the different types of cutting fluids.	07	L2	CO.
Module – 4			
Briefly discuss the major objective of metrology.	07	L2	CO
Briefly discuss the following standards of measurement:	06	L2	CO
(i) Line standard (ii) End standard (iii) Wave length standard			
Three 100 mm end bars are measured on a level comparator by first	07	L3	CO
wringing them together and comparing with a 300 mm bar. The 300 mm			
bar has a known error of +40 µm and the three bars together measures			
64 μm less than the 300 mm bar. Bar A is 18 μm longer than bar B and		1	
23 µm longer then bar C. Determine the actual length of each bar.			
	Explain with a neat sketch, up milling and down milling methods. Briefly explain the broad classification of milling machines. By applying the knowledge of indexing, discuss the different types of indexing that are in practice. OR With a neat sketch, explain the radial drilling machine. Apply the knowledge of mechanism, explain the quick return mechanism that are used in shaping machine. With a neat sketch, explain the centerless grinding machine. Module – 3 With neat sketches, analyze the different heat zones that are present during metal cutting process. Explain the factors that affect the heat generation in metal cutting process. Briefly explain the different wear mechanisms of cutting tools. OR Briefly explain the different cutting tool materials that are used in practice. Analyze the life of tool which is used for rough turning which give a tool life of 1 hrs at a cutting speed of 30 m/min. What will be the life of the tool when it is used at the same cutting speed for finish turning? Take n = 0.125 for rough cut and n = 0.1 for finish cut. Briefly discuss the different types of cutting fluids. Module – 4 Briefly discuss the major objective of metrology. Briefly discuss the following standards of measurement: (i) Line standard (ii) End standard (iii) Wave length standard Three 100 mm end bars are measured on a level comparator by first wringing them together and comparing with a 300 mm bar. The 300 mm	Explain with a neat sketch, up milling and down milling methods. Briefly explain the broad classification of milling machines. By applying the knowledge of indexing, discuss the different types of indexing that are in practice. OR With a neat sketch, explain the radial drilling machine. Apply the knowledge of mechanism, explain the quick return mechanism that are used in shaping machine. With a neat sketch, explain the centerless grinding machine. With a neat sketch, explain the centerless grinding machine. With neat sketches, analyze the different heat zones that are present during metal cutting process. Explain the factors that affect the heat generation in metal cutting process. Briefly explain the different wear mechanisms of cutting tools. OR Briefly explain the different cutting tool materials that are used in practice. Analyze the life of tool which is used for rough turning which give a tool life of 1 hrs at a cutting speed of 30 m/min. What will be the life of the tool when it is used at the same cutting speed for finish turning? Take n = 0.125 for rough cut and n = 0.1 for finish cut. Briefly discuss the different types of cutting fluids. O7 Module - 4 Briefly discuss the major objective of metrology. O7 Briefly discuss the following standards of measurement: (i) Line standard (ii) End standard (iii) Wave length standard Three 100 mm end bars are measured on a level comparator by first wringing them together and comparing with a 300 mm bar. The 300 mm	Explain with a neat sketch, up milling and down milling methods. Briefly explain the broad classification of milling machines. By applying the knowledge of indexing, discuss the different types of or the indexing that are in practice. OR With a neat sketch, explain the radial drilling machine. Apply the knowledge of mechanism, explain the quick return mechanism that are used in shaping machine. With a neat sketch, explain the centerless grinding machine. Of L2 Module -3 With neat sketches, analyze the different heat zones that are present during methods. Explain the factors that affect the heat generation in metal cutting process. Explain the different wear mechanisms of cutting tools. OR Briefly explain the different cutting tool materials that are used in practice. OR Briefly explain the different cutting tool materials that are used in practice. Analyze the life of tool which is used for rough turning which give a tool when it is used at the same cutting speed of 30 m/min. What will be the life of the tool when it is used at the same cutting speed for finish turning? Take n = 0.125 for rough cut and n = 0.1 for finish cut. Briefly discuss the different types of cutting fluids. O7 L2 Briefly discuss the major objective of metrology. Briefly discuss the following standards of measurement: (i) Line standard (ii) End standard (iii) Wave length standard Three 100 mm end bars are measured on a level comparator by first wringing them together and comparing with a 300 mm bar. The 300 mm

				BM	E402
0.0		Briefly explain Inter changeability and selective assembly.	06	L2	CO ₄
Ų.8	b.	Define fit. Explain the different types of fits designed for different	06	L2	CO4
	0	Determine the tolerances on the hole and shaft for a precision running fit	08	L3	CO4
	C.	designated by 50 H ₇ g ₆ . Given:			
		(i) 50 mm lies between 30-50 mm			
b. Define fapplication c. Determine designate (i) 50 m (ii) i(mi (iii) Function (v) IT7		(ii) $i(microcs) = 0.45 (D)^{1/3} + 0.001 D$			
		(iii) Fundamental deviation for 'H' hole = 0			
		(iv) Fundamental deviation for 'g' shaft = $-2.5 D^{0.34}$			
		(vi) IT6 = 10i			
		State the actual maximum and minimum sizes of the hole and shaft and			
		maximum and minimum clearances.			
		Module – 5	0.57	1.0	CO
Q.9	a.	Briefly explain with neat sketch, plug and ring gauges.	07	L2	CO
	b.	With a neat sketch, explain the sigma comparator.	07	L2 L2	CO
	c.	With a neat sketch, explain the principle of sine bar. OR	00	114	
0.10	0	Discuss the different materials used for the construction of gauges.	07	L2	CO
Q.10	a.	1: 1 7: III O	07	L2	CO
	c.	With a neat sketch, explain the Verneir Bevel Protractor.	06	L2	CC
		2 of 2			