



CBCS SCHEME

USN

--	--	--	--	--	--	--	--	--	--

21MAT41

Fourth Semester B.E. Degree Examination, June/July 2023 Complex Analysis, Probability and Statistical Methods

Time: 3 hrs.

Max. Marks: 100

*Note: 1. Answer any FIVE full questions, choosing ONE full question from each module.
2. Use of Statistical table is permitted.*

Module-1

- 1 a. Derive Cauchy – Riemann equations in Cartesian form. (06 Marks)
- b. Show that $f(z) = \sin z$ is analytic and hence find its derivative. (07 Marks)
- c. Evaluate $\int_{(0,3)}^{(2,4)} (2y + x^2)dx + (3y - x)dy$, along the parabola $x = 2t, y = t^2 + 3$ (07 Marks)

OR

- 2 a. Determine the analytic function $f(z) = u + iv$, whose imaginary part is $(x^2 - y^2) + \frac{x}{x^2 + y^2}$ by Milne – Thompson method. (06 Marks)
- b. State and prove Cauchy’s integral theorem. (07 Marks)
- c. Evaluate $\int_c \frac{dz}{z^2 - 4}$ over $c: |z| = 1$ (07 Marks)

Module-2

- 3 a. Show that $J_{-1/2}(x) = \sqrt{\frac{2}{\pi x}} \cos x$ (06 Marks)
- b. If α and β are the two roots of $J_n(x) = 0$ then prove that $\int_0^1 x J_n(\alpha x) J_n(\beta x) dx = 0$ if $\alpha \neq \beta$. (07 Marks)
- c. Express $f(x) = 2x^3 - x^2 - 3x + 2$ in terms of Legendre polynomials. (07 Marks)

OR

- 4 a. Obtain the series solution of Bessel’s differential equation $x^2 y'' + xy' + (x^2 + n^2)y = 0$ leading to $J_n(x)$. (06 Marks)
- b. Show that $J_{+1/2}(x) = \sqrt{\frac{2}{\pi x}} \sin x$ (07 Marks)
- c. Prove that, $x^3 + 2x^2 - 4x + 5 = \frac{2}{5}P_3(x) + \frac{4}{3}P_2(x) - \frac{17}{5}P_1(x) + \frac{17}{5}P_0(x)$ (07 Marks)

Module-3

- 5 a. Find the Karl Pearson’s coefficient correlation for the following two groups.

A	92	89	87	86	83	77	71	63	53	50
B	86	83	91	77	68	85	52	82	37	57

(06 Marks)

Important Note : 1. On completing your answers, compulsorily draw diagonal cross lines on the remaining blank pages.
2. Any revealing of identification, appeal to evaluator and/or equations written eg, 42+8=50, will be treated as malpractice.

- b. Fit a straight line of the form $y = ax + b$ for the data by the least squares method.

x	0	1	2	3	4	5
y	9	8	24	28	26	20

(07 Marks)

- c. Using the method of least squares fit a curve $y = ax^b$ for the data

x	1	2	3	4	5
y	0.5	2	4.5	8	12.5

(07 Marks)

OR

- 6 a. Ten students got the percentage of marks in two subjects x and y. Compute their rank correlation coefficient.

Marks in x	78	36	98	25	75	82	90	62	65	39
Marks in y	84	51	91	60	68	62	86	58	53	37

(07 Marks)

- b. Compute the means \bar{x} , \bar{y} and the coefficient of correlation r from the given regression lines $2x + 3y + 1 = 0$, $x + 6y - 4 = 0$. (07 Marks)
- c. Fit a second degree parabola $y = ax^2 + bx + c$ in the least square sense for the following data and hence estimate y at $x = 6$.

x	1	2	3	4	5
y	10	12	13	16	19

(06 Marks)

Module-4

- 7 a. A random variable X has the following probability function :

X	0	1	2	3	4	5	6	7
P(X)	0	k	2k	2k	3k	k^2	$2k^2$	$7k^2 + k$

Find k and evaluate $P(X \geq 6)$, $P(3 < X \leq 6)$.

(06 Marks)

- b. Find the mean and standard deviation of Poisson distribution. (07 Marks)
- c. The probability that a person aged 60 years will live upto 70 is 0.65. What is the probability that out of 10 persons aged 60 atleast 7 of them will live upto 70? (07 Marks)

OR

- 8 a. Find a constant K such that

$$f(x) = \begin{cases} kx^2, & 0 \leq x \leq 3 \\ 0, & \text{otherwise} \end{cases} \text{ is a pdf.}$$

Also, compute : (i) $P(1 < x < 2)$ (ii) $P(x \leq 1)$ (iii) $P(x > 1)$ (06 Marks)

- b. Find the mean and standard deviation of Binomial distribution. (07 Marks)
- c. In a test of electric bulbs it was found that the lifetime of bulbs of a particular brand was normally distributed with an average life of 2000 hours and standard deviation of 60 hours. If a firm purchases 2500 bulbs, find the number of bulbs that are likely to last for
- (i) More than 2100 hours
- (ii) Less than 1950 hours
- (iii) Between 1900 and 2100 hours
- Given that, $\phi(1.67) = 0.4525$; $\phi(0.83) = 0.2967$ (07 Marks)

Module-5

- 9 a. The joint probability distribution of the random variables X and Y are given as follows:

	Y	1	3	9
X				
2		$\frac{1}{8}$	$\frac{1}{24}$	$\frac{1}{12}$
4		$\frac{1}{4}$	$\frac{1}{4}$	0
6		$\frac{1}{8}$	$\frac{1}{24}$	$\frac{1}{12}$

- Find (i) $E(X)$ (ii) $E(Y)$ (iii) $E(XY)$ (iv) $\text{Cov}(X, Y)$
 (v) Marginal distribution of X and Y (06 Marks)
- b. Define (i) Null hypothesis (ii) Type-I and Type-II error (iii) Level of Significance (07 Marks)
- c. A sample of 100 tyres is taken from a lot. The mean life of tyres is found to be 40,650 kms with a standard deviation of 3260. Can it be considered as a true random sample from a population with mean life of 40,000 kms (use 0.05 level of significance). (Given $z_{0.05} = 1.96$, $z_{0.01} = 2.58$) (07 Marks)

OR

- 10 a. The joint probability distribution of two random variables X and Y are as follows:

	Y	-2	-1	4	5
X					
1		0.1	0.2	0	0.3
2		0.2	0.1	0.1	0

- Determine : (i) Marginal distribution of X and Y (ii) Find $E(X)$, $E(Y)$ and $E(XY)$
 (iii) Covariance of X and Y (06 Marks)
- b. In the experiment of pea breeding the following frequencies of seeds were obtained.

Round and Yellow	Wrinkled and Yellow	Rounded Green	Wrinkled and Green	Total
315	101	108	32	556

- Theory predicts that the frequencies should be in proportions 9:3:3:1. Examine the correspondence between theory and experiment. (Given $\chi_{0.05}^2 = 7.815$ for 3df). (07 Marks)
- c. A group of 10 boys fed on a diet A and another group of 8 boys fed on a different diet B for a period of 6 months recorded the following increase in weight (lbs).

Diet A :	5	6	8	1	12	4	3	9	6	10
Diet B :	2	3	6	8	10	1	2	8	5	5

- Test whether diets A and B differ significantly regarding their effect on increase in weight. (Given $t_{0.05}$ for 16 df = 2.12) (07 Marks)
