

CBCS SCHEME

USN

--	--	--	--	--	--	--	--	--	--

21CV44

Fourth Semester B.E. Degree Examination, Dec.2023/Jan.2024 Analysis of Structures

Time: 3 hrs.

Max. Marks: 100

- Note: 1. Answer any FIVE full questions, choosing ONE full question from each module.
2. Assume missing data, if any.

Module-1

- 1 a. State and prove Mohr's theorems for slope and deflection of prismatic beam. (10 Marks)
b. Find the slope and deflection at free end of the cantilever beam shown in Fig.Q1(b) by moment area method.




Fig.Q1(b)

(10 Marks)

OR

- 2 a. Calculate slope at support and deflection under the point load by conjugate beam method for beam shown in Fig.Q2(a).




Fig.Q2(a)

(10 Marks)

- b. For a simply supported beam subjected to point loads at one third points. Calculate max slope and maximum deflection. (10 Marks)

Module-2

- 3 A truss is loaded as shown in Fig.Q3. The cross sectional area as indicated in figure. Find strain energy stored due to loading. Take $E = 72 \text{ GPa}$.




Fig.Q3

(20 Marks)

Important Note : 1. On completing your answers, compulsorily draw diagonal cross lines on the remaining blank pages.
2. Any revealing of identification, appeal to evaluator and/or equations written eg, 42+8=50, will be treated as malpractice.

OR

- 4 For the truss shown in Fig.Q4. The cross sectional area of each member is 400 mm^2 . Take $E = 200 \text{ GPa}$. Determine the vertical deflection at joint C if 4 kN force is applied to the truss at 'C'.




Fig.Q4

(20 Marks)

Module-3

- 5 A three hinged symmetrical parabolic arch has a span of 30 m and a central rise of 6 m . The arch carries a uniformly distributed load of intensity 30 kN/m over left half portion and a concentrated load of 60 kN at 9 m from right had support. Compute the:
- Bending moment
 - Normal thrust
 - Radial shear at 9 m from left support. Also draw the B.M.D.

(20 Marks)

OR

- 6 A suspension bridge of 120 m span has a central dip of 12 m and support a U.D.L. of 15 kN/m over the span. Calculate the maximum and minimum tension in cable, size of the cable if the permissible stress of the cable material is 200 N/mm^2 . The length of the cable and forces in the tower if the cable is passing over a smooth pulley. Take height of the tower $h = 20 \text{ m}$ and inclination of anchor cable = 25° .

(20 Marks)

Module-4

- 7 Analyze the continuous beam shown in Fig.Q7 by slope deflection method and draw bending moment, shear force diagram and elastic curve. Consider Young's modulus E to be same, throughout the beam.




Fig.Q7

(20 Marks)

OR

- 8 Analyze the frame shown in Fig.Q8 by slope deflection method and draw bending moment diagram. $E = \text{constant}$.




Fig.Q8

(20 Marks)

Module-5

- 9 Analyze the beam shown in Fig.Q9. By stiffness matrix method, take E same throughout the beam. Draw S.F.D and B.M.D.




Fig.Q9

(20 Marks)

OR

- 10 Analyze the beam shown in Fig.Q10. By stiffness matrix method, the support B sinks by 10 mm. Take $E = 2047 \text{ kN/m}$, $I = 4162 \times 10^4 \text{ mm}^4$.




Fig.Q10

(20 Marks)
