



# CBCS SCHEME

21CV44

## Fourth Semester B.E. Degree Examination, June/July 2024 Analysis of Structures

Time: 3 hrs.


Max. Marks: 100

- Note :** 1. Answer any FIVE full questions, choosing ONE full question from each module.  
2. Any missing data assume suitably.

### Module-1

- 1 a. Determine the slope and deflection of the cantilever loaded beam shown in Fig. Q1(a) at the free end by Moment Area method. Take  $EI$  is constant. (10 Marks)

Fig. Q1(a)



- b. Determine the slope at supports and deflection under point load for the beam shown in Fig. Q1(b) using Moment Area method. Take  $EI = \text{Constant}$ . (10 Marks)


Fig. Q1(b)



### OR


- 2 a. Determine the deflection under the point load and slope at A, using Conjugate Beam method for the shown in Fig. Q2(a). Take  $EI = 2 \times 10^4 \text{ kN-m}^2$ . (10 Marks)

Fig. Q2(a)



- b. Determine the slope and deflection at the free end of a cantilever beam shown in Fig. Q2(b) by Conjugate Beam method. Take  $EI = 4 \times 10^4 \text{ kN-m}^2$ . (10 Marks)


Fig. Q2(b)



### Module-2


- 3 a. Determine the deflection for a simply supported beam shown in Fig. Q3(a) under the point load by Strain Energy method. Take  $EI = 5000 \text{ kN-m}^2$ . (10 Marks)

Fig. Q3(a)



- b. Determine the vertical deflection at 'C' in the frame shown in Fig. Q3(b) using Strain Energy method. Take  $EI = 6000 \text{ kN-m}^2$ . (10 Marks)


Fig. Q3(b)



OR


- 4 a. Find the deflection under point load for the beam shown in Fig. Q4(a) using Castiglino's First theorem. Take  $E = 2800 \text{ kN-m}^2$ . (10 Marks)

Fig. Q4(a)



- b. Determine the horizontal displacement of joint 'C' of the truss shown in Fig. Q4(b). The cross-sectional area of each member of the truss is  $A = 400 \text{ mm}^2$ ,  $E = 200 \text{ kN/mm}^2$ . Use Castiglino's theorem. (10 Marks)

Fig. Q4(b)

**Module-3**

- 5 a. A three hinged parabolic arch has a span of 20m and rise of 5m. It carries a UDL of 25kN/m over the left half of the span and a point load of 120kN at 5m from the right end. Find the BM, Normal thrust and Radial shear at a section 4m from the left end. (10 Marks)
- b. A three hinged Segmental (circular) Arch of span 10m and central rise of 2.5m and supports a point load of 100kN at left Quarter span and Udl of 20kN/m over the right half of the span. Determine the reactions, Normal thrust and Radial shear at right quarter span. (10 Marks)

OR

- 6 a. A cable of span 20m and dip 4m carries a udl of 20kN/m over the entire span. Find the  
 i) Maximum and Minimum tension in the cable.  
 ii) Size and length of the cable. (10 Marks)

- b. Determine the tension in the various segments of the cable as shown in Fig. Q6(b). Also determine the diameter of the cable required. If stress in the cable material is  $150\text{N/mm}^2$ . (10 Marks)





Fig. Q6(b)

**Module-4**


- 7 a. Analyse the two span continuous beam as shown in Fig. Q7(a) by Slope deflection method and draw BMD. (10 Marks)

Fig. Q7(a)



- b. Analyse the beam by Slope deflection method as shown in Fig. Q7(b). The support 'B' sinks by 5m. Take  $EI = 2.1 \times 10^4 \text{ kN-m}^2$ . Draw BMD. (10 Marks)


Fig. Q7(b)



**OR**


- 8 a. Analyse the Rigid frame by the Slope deflection method as shown in Fig. Q8(a). (10 Marks)

Fig. Q8(a)



- b. Analyse the Portal frame shown in Fig. 8(b) by the Slope deflection method. (10 Marks)

Fig. Q8(b)






**Module-5**

- 9 Analyse the Continuous beam shown in Fig. Q9, by Matrix flexibility method and draw BMD & SFD. Take moments as redundant. (Use system approach). (20 Marks)


Fig. Q9



OR

- 10 Analyse the Symmetrical frame by the Stiffness method using system approach as shown in Fig. Q10. Draw the Bending moment diagram. (20 Marks)

Fig. Q10



\*\*\*\*\*