

CBCS SCHEME



BEE302

Third Semester B.E./B.Tech. Degree Examination, June/July 2024

Electric Circuit Analysis

Time: 3 hrs.

Max. Marks: 100

Note: 1. Answer any FIVE full questions, choosing ONE full question from each module.


2. VTU Formula Hand Book is permitted.

3. M : Marks , L: Bloom's level , C: Course outcomes.


Module – 1			
		M	L
Q.1			C
	a. Explain active and passive elements with example.	4	L2
	b. Find the voltage across 5Ω resistor for the network shown in Fig.Q.1(b).	8	L3
	 Fig.Q.1(b)		CO1
	c. In the network of Fig.Q.1(c). Find the node voltages V_1 , V_2 and V_3 .	8	L3
	 Fig.Q.1(c)		CO1
OR			
Q.2	a. Derive the relationship between Δ - Y transformation.	5	L2
	b. Find the power supplied by 10V source in the network shown in Fig.Q.2(b).	7	L3
	 Fig.Q.2(b)		CO1
	c. Determine the power delivered by the voltage source and the current in the 10Ω resistor of the network shown in Fig.Q.2(c).	8	L3
	 Fig.Q.2(c)		CO1

Module - 2

- Q.3** a. Find the current I in the network shown in Fig.Q.3(a) using superposition theorem.



- b. Find Thevenin's Equivalent network for Fig.Q.3(b)



OR

- Q.4** a. Find the current through the 10Ω resistor for the Fig.Q.4(a) using Norton's theorem.




Fig.Q.4(a)

- b. State and prove maximum power transfer theorem.

10 L3 CO2

10 L2 CO2

Module - 3

- Q.5** a. A series RLC circuit has $R = 10\Omega$ and $L = 60\text{mH}$. At a frequency of 25Hz the power factor of the circuit is 45° lead. At what frequency will the circuit be resonant.

5 L3 CO3

- b. What are initial conditions? show the behavior of R, L and C elements at the time of switching at $t = 0$ both at $t = 0^+$ and $t = \infty$.

8 L2 CO3

- c. For a network shown in Fig.Q.5(c) switch is changed from the position 1 to the position 2 at $t = 0$. Steady state condition reached before switching.

7 L4 CO3

Find the values i , $\frac{di}{dt}$ and $\frac{d^2i}{dt^2}$ at $t = 0^+$.




Fig.Q.5(c)



OR

Q.6	a.	Derive an expression for R – C circuit under DC excitation find voltage across R and C also.	10	L2	CO3
	b.	A series resonant circuit has an impedance of 500Ω at resonant frequency. Cut off frequencies are 10kHz and 100Hz. Determine: i) Resonant frequency ii) Value of L and C iii) Quality factor at resonant frequency.	10	L3	CO3


Module – 4

Q.7	a.	Find the Laplace transform of the waveform shown in Fig.Q.7(a).	8	L4	CO4
	b.	Verify the initial and final value theorems for $f(t) = e^{-t} (t+1)^2$.	4	L3	CO4
	c.	State and prove initial value theorem.	8	L2	CO4

OR

Q.8	a.	Find the Laplace transform of the waveform given below in Fig.Q.8(a) and (b) respectively.	10	L4	CO4
					
	b.				

Module – 5

Q.9	a.	Determine Z and Y parameters of the network shown in Fig.Q.9(a).	10	L4	CO5
					
	b.	Express the Y-Parameters in terms of Z-Parameters.	10	L3	CO5

OR

- Q.10** a. Obtain the ABCD parameters for the network shown in the Fig.Q.10(a).




Fig.Q.10(a)

- b. A 3-phase, 4-wire, 208V, CBA system as shown in Fig.Q.10(b) has star connected load with $Z_A = 5 \angle 0^\circ \Omega$, $Z_B = 5 \angle 30^\circ \Omega$, $Z_C = 10 \angle -60^\circ \Omega$. Obtain the phase current, line currents and current through neutral wire.




Fig.Q.10(b)

10 L4 CO5

10 L4 CO5