

Fifth Semester B.E. Degree Examination, Dec.2024/Jan.2025
Mathematics for Machine Learning

Time: 3 hrs.

Max. Marks:100

Note: Answer any FIVE full questions, choosing ONE full question from each module.

Module-1

- 1 a. Define vector spaces, subspaces. Show that the set $S = \{(1, 0, 1), (1, 1, 0), (-1, 0, -1)\}$ is linearly dependant in $V_3(R)$. (10 Marks)

- b. By Gaussian elimination, find the inverse of the matrix :

$$A = \begin{bmatrix} 1 & 2 & 3 \\ 2 & 5 & 3 \\ 1 & 0 & 8 \end{bmatrix}$$

(10 Marks)

OR

- 2 a. Solve the system of linear equations using elementary row operations.

$$2x + y + 4z = 12$$

$$4x + 11y - z = 33$$

$$8x - 3y + 2z = 20.$$

(06 Marks)

- b. Define :

i) Norm on vector space U

ii) Inner product in R^n

iii) Angle between vectors.

(06 Marks)

- c. Find rank of the matrix A by reducing into echelon form

$$A = \begin{bmatrix} 2 & -1 & -3 & -1 \\ 1 & 2 & 3 & -1 \\ 1 & 0 & 1 & 1 \\ 0 & 1 & 1 & -1 \end{bmatrix}$$

(08 Marks)

Module-2

- 3 a. Write a note on orthogonal and orthonormal vectors. If $a = [-2, 1]^T$, $b = [-3, 1]^T$,

$$c = \left[\frac{4}{3}, -1, \frac{2}{3} \right]^T \text{ and } d = [5, 6, -1]^T, \text{ then compute :}$$

i) $\left(\frac{a \cdot b}{a \cdot a} \right) a$

ii) Find a unit vector 'u' in the direction c

iii) Show that 'd' is orthogonal to c.

(10 Marks)

- b. Find the eigen values and eigen vectors of the matrix $A = \begin{bmatrix} 3 & 1 & 4 \\ 0 & 2 & 6 \\ 0 & 0 & 5 \end{bmatrix}$.

(10 Marks)

OR

- 4 a. Find the values of determinant and trace of the matrix :

$$A = \begin{bmatrix} 2 & 6 & 1 \\ 0 & 1 & 4 \\ -8 & 0 & -1 \end{bmatrix}.$$

(05 Marks)

- b. Compute the singular value decomposition of a matrix :

$$A = \begin{bmatrix} 4 & 11 & 14 \\ 8 & 7 & -2 \end{bmatrix}.$$

(15 Marks)

Module-3

- 5 a. Compute the derivative of the function $h(x) = g[f(x)]$ where $g[f(x)] = [f(x)]^4$ and $f(x) = (2x + 1)$. (06 Marks)
- b. Define gradient of the function $f(x_1, x_2)$ and hence find gradient of $f(x_1, x_2) = x_1^2 x_2 + x_1 x_2^3$. (06 Marks)
- c. With used notations write the identities which are used in computing gradients of :
- i) $[f(x)]^T$ ii) $\text{tr}[f(x)]$ iii) $\det[f(x)]$ iv) $[f(x)]^{-1}$, with respect to the variable x . (08 Marks)

OR

- 6 a. Starting from definition, find the derivative of x^n . (08 Marks)
- b. Obtain the Maclaurin's series of $\sin x + \cos x$, hence draw the graphs of $f(x) = f(0)$,

$$f(x) = f'(0) + \frac{x}{1!} f'(0) \text{ and } f(x) = f(0) + \frac{x}{1!} f'(0) + \frac{x^2}{2!} f''(0). \quad (12 \text{ Marks})$$

Module-4

- 7 a. State and prove Baye's theorem on conditional probability. (08 Marks)
- b. Let A and B be two events, which are not mutually exclusive and are connected with random experiment. Given that $P(A) = 3/4$ $P(B) = 1/5$ $P(A \cap B) = 1/20$ then find: i) $P(A \cup B)$ ii) $P(A \cap \bar{B})$ iii) $P(\bar{A} \cap B)$ iv) $P(A/B)$ and $P(B/A)$. (06 Marks)
- c. A random variable x has the following probability distribution:

x	0	1	2	3	4	5	6	7
P(x)	0	K	2K	2K	3K	K ²	2K ²	7K ² + K

Find : i) Value of K ii) $P(x < 6)$ iii) $P(x \geq 6)$. (06 Marks)

OR

- 8 a. Test whether the following function is a density function $f(x) = \begin{cases} e^{-x}, & x \geq 0 \\ 0, & x < 0 \end{cases}$ if so determine the probability that the variate having its density function will fall in the interval (1, 2). (08 Marks)
- b. The length of the telephone conversation in a booth has been an exponential distribution and found on an average to be 5 minutes. Find the probability that a random call made from this booth i) Ends in less than 5 minutes ii) Between 5 and 10 minutes. (06 Marks)
- c. Define binomial distribution and find the binomial probability distribution which has mean 2 and variance 4/3. (06 Marks)

Module-5

- 9 a. Find the maximum of $Z = 2x + 3y$
 subject to the constraints $x + y \leq 30$,
 $y \geq 30$,
 $0 \leq y \leq 12$,
 $x - y \geq 0$
 and $0 \leq x \leq 20$. (10 Marks)
- b. For convex functions $f(y)$ and $g(x)$, show that
 $\min_x f(Ax) + g(x) = \min_u -f^*(u) - g^*(-A^T u)$. (10 Marks)

OR

- 10 a. Consider the linear program given below and derive the dual linear program using Lagrange duality.

$$\min_{x \in \mathbb{R}^2} \frac{1}{2} \begin{bmatrix} x_1 \\ x_2 \end{bmatrix}^T \begin{bmatrix} 2 & 1 \\ 1 & 4 \end{bmatrix} \begin{bmatrix} x_1 \\ x_2 \end{bmatrix} + \begin{bmatrix} 5 \\ 3 \end{bmatrix}^T \begin{bmatrix} x_1 \\ x_2 \end{bmatrix}$$

$$\text{Subject to } \begin{bmatrix} 1 & 0 \\ -1 & 0 \\ 0 & 1 \\ 0 & -1 \end{bmatrix} \begin{bmatrix} x_1 \\ x_2 \end{bmatrix} \leq \begin{bmatrix} 1 \\ 1 \\ 1 \\ 1 \end{bmatrix}.$$

(10 Marks)

- b. Discuss the optimization using gradient descent, conjugate gradient, subgradient methods. Differentiate the methods if any. (10 Marks)

* * * * *