

ŪSN LIDE OF THE REAL PROPERTY OF THE REAL PROPERTY

15MAT31

## Third Semester B.E. Degree Examination, June/July 2025 Engineering Mathematics – III

Time: 3 hrs.

Max. Marks: 80

Note: Answer any FIVE full questions, choosing ONE full question from each module.

## Module-1

1 a. Find the Fourier series of  $f(x) = \frac{\pi - x}{2}$  in  $(0, 2\pi)$ . Hence deduce that:

$$\frac{\pi}{4} = 1 - \frac{1}{3} + \frac{1}{5} - \frac{1}{7} + \dots - \dots$$
 (08 Marks)

b. Find the constant term and first cosine and sine terms of the Fourier series of y from the data:

Х		0	45	. 90₽	135	180	225	270	315	
3	7	2	1.5	1	0.5	0	0.5	1	1.5	
			<b>\$</b>	~			ACO	7		(08

(08 Marks)

OR

2 a. Find the Fourier series of:

$$f(x) = \begin{cases} 1 + \frac{2x}{\pi}, & -\pi < x \le 0 \\ 1 - \frac{2x}{\pi}, & 0 \le x < \pi \end{cases}.$$
 (05 Marks)

b. Find the Half range cosine Fourier series of  $f(x) = (x-1)^2$  in (0,1).

(05 Marks)

c. The following table gives the variations of a periodic current A over a period T.

t (secs)	0	T/6	T/3 4	T/2	2T/3	5T/6	Т
A(amp)	1.98	1.30	1.05	1.30	-0.88	-0.25	1.98

Show that there is constant part of 0.75 amp in the current A and obtain the amplitude of the first harmonic. (06 Marks)

## Module-2

3 a. Find the Fourier cosine transform of:

$$f(x) = \begin{cases} 4x, & 0 < x < 1 \\ 4 - x, & 1 < x < 4 \\ 0, & x > 4 \end{cases}$$
 (05 Marks)

Find the z-transform of cosh n θ.

(05 Marks)

c. Find the inverse Z-transform of  $\frac{5z}{(2-z)(3z-1)}$ . (06 Marks)

OR

- 4 a. Find the Fourier transform of  $f(x) = \begin{cases} 1 |x|; & |x| \le 1 \\ 0; & |x| > 1 \end{cases}$  (05 Marks)
  - b. Find the Fourier sine transform of  $e^{-|x|}$  hence deduce that  $\int_{0}^{\infty} \frac{x \sin mx}{1+x^{2}} dx = \frac{\pi}{2} e^{-m}.$  (05 Marks)
  - c. Solve the difference equation  $u_{m+2} + u_n = 0$  by using Z-transforms. (06 Marks)

Module-3

5 a. Obtain the lines of regression and hence find the coefficient of correlation for the data:

x 1	3	4	2	5	<i>®</i> 8	9	10	13	15
у 8	-6	10	8	412	16	16	10	32	32

(05 Marks)

b. Fit a parabola  $y = ax^2 + bx + c$  by the method of least squares for the following data:

	Х	2	4	6	8	10
İ	У	3.07	12.85	31.47	57.38	91.29

(05 Marks)

c. Find a real root of the equation  $x^3 - 2x - 5 = 0$  correct to three decimal places, using the Regula-Falsi method. (06 Marks)

OR

- a. Given the equation of the regression lines x = 19.13 0.87y, y = 11.64 0.5x, Compute the mean of x's, mean of y's and the coefficient of correlation.
  - b. Fit a straight line y = ax + b for the following data:

-	X	4	3	4	6	8	9	11	14
1	у	1	2	4	4	5	7	8	9

(05 Marks)

c. Find a real root of the equation  $xe^x - 2 = 0$  correct to three decimal places using Newton – Raphson method near x = 1.0.

Module-4

7 a. Find  $u_{0.5}$  from the data:  $u_0 = 225$ ,  $u_1 = 238$ ,  $u_2 = 320$ ,  $u_3 = 340$ .

(05 Marks)

b. Using Newton's divided difference formula find f(8) and f(15) from the following data:

	x	4	5	7	10	11	13
ĺ	f(x)	48	100	294	900	1210	2028

(05 Marks)

c. Evaluate  $\int_{0}^{2} \log_{e} x \, dx$ , taking 6 equal parts by applying Weddle's rule.

(06 Marks)

OR

8 a. The area of a circle(A) corresponding to diameter (D) is given below:

D	80	85	90	95	100
A	5026	5674	6362	7088	7854

Find the area corresponding to diameter 105 using Newton's Backward formula. (05 Marks)

b. Apply Lagrange's inverse interpolation formula find x when y = 6 given the data:

X	20	30	40
У	2	4.4	7.9

(05 Marks)

c. Evaluate  $\int_{0}^{6} 3x^{2} dx$  by using Simpson's  $(\frac{1}{3})^{rd}$  rule taking 6 equal parts.

(06 Marks)

## Module-5

- 9 a. Evaluate  $\iiint_V \nabla \cdot \vec{F} \, dv$ , if  $\vec{F} = (2x^2 3z)i 2xyj 4xk$  where V is the region bounded by the planes x = 0, y = 0, z = 0 and 2x + 2y + z = 4. (05 Marks)
  - b. Find the extremal of the functional  $\int_{0}^{x_{2}} (y^{2} + y'^{2} + 2ye^{x}) dx$ . (05 Marks)
  - c. Find the geodesics on a surface given that the arc length on the surface is :

$$S = \int_{x_{1}}^{x_{2}} \sqrt{x(1+y'^{2})} dx.$$
 (06 Marks)

OR

- 10 a. Evaluate  $\int_{c} \vec{F} \cdot d\vec{r}$ , if  $\vec{F} = xyi + yzj + zxk$ , where C is the curve represented by x = t,  $y = t^{2}$ ,  $z = t^{3}$ ,  $-1 \le t \le 1$ . (05 Marks)
  - b. Verify Green's theorem in a plane for  $\oint_C (3x^2 8y^2) dx + (4y 6xy) dy$ , where C is the boundary of the region enclosed by  $y = \sqrt{x}$  and  $y = x^2$ . (05 Marks)
  - c. Solve the variational problem :  $\delta \int_{0}^{1} (x + y + y'^{2}) dx = 0$  under the conditions y(0) = 1 and y(1) = 2.

\*\*\*\*